

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.


This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	LED Linear GmbH	Manufacturer:	LED Linear GmbH
Address:	Pascalstrasse 9 D-47506 Neukirchen-Vluyn	Address:	Dr. Alfred Herrhausen Allee 22 A-D + 20 A-D, 47228 Duisburg
Country:	Germany	Country:	Germany
Contact:	Mr. Dietrich Heitmann, Mr. Dr. Dirk Püttjer	Contact:	Mr. Dietrich Heitmann, Mr. Dr. Dirk Püttjer
Phone:	+49 (0) 2065 94322 267 +49 (0) 2845 98462 131	Phone:	+49 (0) 2065 94322 267 +49 (0) 2845 98462 131
FAX:	+49 (0) 2845 98462 120	FAX:	+49 (0) 2845 98462 120
Email:	Dietrich.Heitmann@led-linear.com Dirk.Puettjer@led-linear.com	Email:	Dietrich.Heitmann@led-linear.com Dirk.Puettjer@led-linear.com

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Kaufbeuren

Control Number: 4004471

Authorized by: _____


for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s): Low Voltage Lighting Systems [UL 2108:2015 Ed.2+R:06Dec2019]

Luminaires [CSA C22.2#250.0:2018 Ed.4]

Product: LED luminaires

Brand Name:

LED LINEAR™ | Member of the
lighting solutions | Fagerhult Group

Models:	<p>VarioLED; may be followed by 0001 to 9999; may be followed by HYDRA, HYD, ECO, NEXUS, RGB, RGBW IQ W, IQW, IQ, IQ W Aton, IQ W Hydra, ECO Color, Aton Air, Xoominescent, Luminaris ECO, SOL, Luminaris; followed by LD, HD, SLD, P12, P23; may be followed by 3 to 42; may be followed by L500, L1000, L1500, L2200; may be followed by B, G, R; may be followed by W; may be followed by 8, 9; may be followed by 20 to 50; may be followed by S, B, W, C; may be followed by CL, SP, SO, OP, PR, RC, RS, RO, SS, SQ, HC, LC, HS, LS, HO, LO, FC, 15D, 30D, 60D, 90D, 10L, 30L, 60L; may be followed by FM, MS, OB, OS; may be followed by B, E, S; may be followed by AT, SMC, PCR, HCR, FM, FMC, 15C, 30C, 45C, PMC, AMC, WMP, VMC, PMK, TMP, SC, PC, MK, S1, S2, S9, SP, SK, END, UB, PB, VK, HK, VI, HI; may be followed by HS, SJ, S9, CK; may be followed by 0,05m to 5,040m; followed by IP00, IP20, IP44</p> <p>XOOLINE ; followed by HYD, IQ W ATON, IQW ATON, IQ ATON, ATON IQ white, ECO, IQ W HYD, RGB, NEX, RGBW, NEXUS, SOL, NEX IQW, NEX IQ W, NEX IQ WHITE, NEX IQWHITE, NEXUS IQW, NEXUS IQ W, NEXUS IQWHITE, NEXUS IQ WHITE, LUMINARIS, LUM, LUMINARIS ECO, LUM ECO; may be followed by LD, HD; may be followed by 3 to 40; may be followed by P12 or P23; may be followed by L500, L1000, L1500, L2200; may be followed by R,G,B,A; may be followed by W; followed by 8, 9; followed by 20 to 50; followed by 140 to 2005; followed by 10D/30D/60D or two letters; may be followed by -C002, -C004, MP, CL0, CL15, CL30, CL45, PCL; followed by IP67, IP40, IP10</p> <p>VESTA; may be followed by HYD; may be followed by ATON, HYDRA; may be followed by LD, HD; may be followed by 3 to 42; may be followed by W; may be followed by 8, 9; may be followed by 20 to 50; followed by 72,5 to 4010; followed by S, B; followed by two letters; followed by 30, 60; followed by C, X; followed by IP40</p> <p>LUNA; may be followed by HYDRA, LUMINARIS, LUM, LUMINARIS ECO, LUM ECO; may be followed by ATON, HYD; followed by LD, HD, SLD; may be followed by 3 to 42; may be followed by W; may be followed by 8, 9; may be followed by 20 to 50; followed by 72,5 to 4010; may be followed by S, B, W; followed by NC, 10D, 30D, 60D, OR, DR, CR, OL, DL, CL, OH, DH, CH; followed by IP10, IP40</p> <p>LYRA; may be followed by HYDRA, HYD, ATON AIR, IQ, ECO P12, ECO P23, RGB, SLD, IQ W HYD, IQ W ATON, NEXUS, NEX, SOL, LUMINARIS, LUM, LUMINARIS ECO, LUM ECO; may be followed by LD, HD, L500, L1000, L1500, L2200, IQ White, IQ W, IQW, UHD; may be followed by 3 to 42; may be followed by W; may be followed by 8, 9; may be followed by 20 to 50; SLD followed by 72,5 to 4010; Followed by S, B; followed by OR, DR, CR, 10D, 30D, 60D; may be followed by V; followed by IP40</p> <p>XOOLUM; may be followed by R; followed by HYD, IQ W ATON, IQW ATON, IQ ATON, ATON IQ white, ECO, IQ W HYD, RGB, NEX, RGBW, SOL, ZEUS, ATON+, APOLLO, ATON2, ATON 2, ATON, DONAR, DUO, HERCULES, HYDRA, NEXUS, NEX IQW, NEX IQ W, NEX IQ WHITE, NEX IQWHITE, NEXUS IQW, NEXUS IQ W, NEXUS IQWHITE, NEXUS IQ WHITE, ATON IQ W, ATON PLUS, ATON COLOR, IQ WHITE, IQW A, ZEUS2, LUMINARIS, LUM, LUMINARIS ECO, LUM ECO; may be followed by LD, HD; may be followed by 3 to 40; may be followed by P12 or P23; may be followed by L500, L1000, L1500, L2200; may be followed by R,G,B,A; may be followed by W; followed by 8, 9; followed by 20 to 50; followed by 140 to 4010; followed by S or B; may be followed by 25, 65, WW; may be followed by X, CL, OP, HO; followed by NA or A; followed by BS or FS; followed by X or L; followed by IP10, IP20, IP40, IP44</p> <p>XOOLIGHT; may be followed by HYD, HYDRA, IQ W Aton, RGB, APPOLLO, APPOLLO2, ATON, ATON +, ATON2, ECO, HERCULES, KRONOS, SOL, ZEUS, ZEUS2, NEX, NEXUS, LUMINARIS, LUM, LUMINARIS ECO, LUM ECO; may be followed by LD, HD; may be followed by 3 to 42; may be followed by W; may be followed by 8, 9; may be followed by 20 to 50; followed by 84 to 4293; followed by A, B, W; followed by X, CL, DI, OP; followed by BS, FS; followed by T, R; followed by IP; followed by 00 to 40</p> <p>MARS; may be followed by NANO; may be followed by 4262; may be followed by CC or CV; followed by HYD, IQ W ATON, IQW ATON, IQ ATON, ATON IQ white, ECO, IQ W HYD, RGB, RGB 4S, IQ WHITE ATON; IQ WHITE HYDRA, HYDRA, NEX, RGBW, NEXUS, IQ W; may be followed by LD, HD; may be followed by 3 to 40; may be followed by W; followed by 8, 9; followed by 20 to 50; followed by 0139 to 4020; may be followed by BB, SB, WB, BS, SS, WS; may be followed by C or P; followed by 05 to 65 or two letters; followed by E or W; followed by A or C; followed by IP40, IP20 or IP44</p> <p>XOOCOVE HYDRA; followed by LD, HD; followed by 3 to 40; followed by W; followed by 8, 9; followed by 20 to 50; followed by 135 to 4010; followed by 60D or two letters; followed by IP40</p> <p>LYRA 36; may be followed by NANO, NEXUS, LUMINARIS, LUM, LUMINARIS ECO, LUM ECO; followed by LD; followed by 3 to 42; followed by W; followed by 8, 9; followed by 20 to 50; LD followed by 139 to 4010; Followed by S, B; followed by 15, 25, 40, 65, WW, BW, OV; followed by IP20, IP40, IP44</p>
----------------	--

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	LED Linear GmbH	Manufacturer:	LED Linear USA, Inc.
Address:	Pascalstrasse 9 D-47506 Neukirchen-Vluyn	Address:	2186 Liberty Drive Niagara Falls, NY 14304
Country:	Germany	Country:	USA
Contact:	Mr. Dietrich Heitmann, Mr. Dr. Dirk Püttjer	Contact:	Mr. Scott Fennell
Phone:	+49 (0) 2065 94322 267 +49 (0) 2845 98462 131	Phone:	+17 1652 544 95
FAX:	+49 (0) 2845 98462 120	FAX:	-
Email:	Dietrich.Heitmann@led-linear.com Dirk.Puettjer@led-linear.com	Email:	scott.fennell@led-linear.com

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Kaufbeuren

Control Number: 5006024

Authorized by: _____

for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
 545 East Algonquin Road, Arlington Heights, IL 60005
 Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s): Low Voltage Lighting Systems [UL 2108:2015 Ed.2+R:06Dec2019]

Luminaires [CSA C22.2#250.0:2018 Ed.4]

Product: LED luminaires

Brand Name:

LED LINEAR™
lighting solutions

Member of the
Fagerhult Group

Models:	<p>VarioLED; may be followed by 0001 to 9999; may be followed by HYDRA, HYD, ECO, NEXUS, RGB, RGBW IQ W, IQW, IQ, IQ W Aton, IQ W Hydra, ECO Color, Aton Air, Xoominescent, Luminaris ECO, SOL, Luminaris; followed by LD, HD, SLD, P12, P23; may be followed by 3 to 42; may be followed by L500, L1000, L1500, L2200; may be followed by B, G, R; may be followed by W; may be followed by 8, 9; may be followed by 20 to 50; may be followed by S, B, W, C; may be followed by CL, SP, SO, OP, PR, RC, RS, RO, SS, SQ, HC, LC, HS, LS, HO, LO, FC, 15D, 30D, 60D, 90D, 10L, 30L, 60L; may be followed by FM, MS, OB, OS; may be followed by B, E, S; may be followed by AT, SMC, PCR, HCR, FM, FMC, 15C, 30C, 45C, PMC, AMC, WMP, VMC, PMK, TMP, SC, PC, MK, S1, S2, S9, SP, SK, END, UB, PB, VK, HK, VI, HI; may be followed by HS, SJ, S9, CK; may be followed by 0,05m to 5,040m; followed by IP00, IP20, IP44</p> <p>XOOLINE ; followed by HYD, IQ W ATON, IQW ATON, IQ ATON, ATON IQ white, ECO, IQ W HYD, RGB, NEX, RGBW, NEXUS, SOL, NEX IQW, NEX IQ W, NEX IQ WHITE, NEX IQWHITE, NEXUS IQW, NEXUS IQ W, NEXUS IQWHITE, NEXUS IQ WHITE, LUMINARIS, LUM, LUMINARIS ECO, LUM ECO; may be followed by LD, HD; may be followed by 3 to 40; may be followed by P12 or P23; may be followed by L500, L1000, L1500, L2200; may be followed by R,G,B,A; may be followed by W; followed by 8, 9; followed by 20 to 50; followed by 140 to 2005; followed by 10D/30D/60D or two letters; may be followed by -C002, -C004, MP, CL0, CL15, CL30, CL45, PCL; followed by IP67, IP40, IP10</p> <p>VESTA; may be followed by HYD; may be followed by ATON, HYDRA; may be followed by LD, HD; may be followed by 3 to 42; may be followed by W; may be followed by 8, 9; may be followed by 20 to 50; followed by 72,5 to 4010; followed by S, B; followed by two letters; followed by 30, 60; followed by C, X; followed by IP40</p> <p>LUNA; may be followed by HYDRA, LUMINARIS, LUM, LUMINARIS ECO, LUM ECO; may be followed by ATON, HYD; followed by LD, HD, SLD; may be followed by 3 to 42; may be followed by W; may be followed by 8, 9; may be followed by 20 to 50; followed by 72,5 to 4010; may be followed by S, B, W; followed by NC, 10D, 30D, 60D, OR, DR, CR, OL, DL, CL, OH, DH, CH; followed by IP10, IP40</p> <p>LYRA; may be followed by HYDRA, HYD, ATON AIR, IQ, ECO P12, ECO P23, RGB, SLD, IQ W HYD, IQ W ATON, NEXUS, NEX, SOL, LUMINARIS, LUM, LUMINARIS ECO, LUM ECO; may be followed by LD, HD, L500, L1000, L1500, L2200, IQ White, IQ W, IQW, UHD; may be followed by 3 to 42; may be followed by W; may be followed by 8, 9; may be followed by 20 to 50; SLD followed by 72,5 to 4010; Followed by S, B; followed by OR, DR, CR, 10D, 30D, 60D; may be followed by V; followed by IP40</p> <p>XOOLUM; may be followed by R; followed by HYD, IQ W ATON, IQW ATON, IQ ATON, ATON IQ white, ECO, IQ W HYD, RGB, NEX, RGBW, SOL, ZEUS, ATON+, APOLLO, ATON2, ATON 2, ATON, DONAR, DUO, HERCULES, HYDRA, NEXUS, NEX IQW, NEX IQ W, NEX IQ WHITE, NEX IQWHITE, NEXUS IQW, NEXUS IQ W, NEXUS IQWHITE, NEXUS IQ WHITE, ATON IQ W, ATON PLUS, ATON COLOR, IQ WHITE, IQW A, ZEUS2, LUMINARIS, LUM, LUMINARIS ECO, LUM ECO; may be followed by LD, HD; may be followed by 3 to 40; may be followed by P12 or P23; may be followed by L500, L1000, L1500, L2200; may be followed by R,G,B,A; may be followed by W; followed by 8, 9; followed by 20 to 50; followed by 140 to 4010; followed by S or B; may be followed by 25, 65, WW; may be followed by X, CL, OP, HO; followed by NA or A; followed by BS or FS; followed by X or L; followed by IP10, IP20, IP40, IP44</p> <p>XOOLIGHT; may be followed by HYD, HYDRA, IQ W Aton, RGB, APPOLLO, APPOLLO2, ATON, ATON +, ATON2, ECO, HERCULES, KRONOS, SOL, ZEUS, ZEUS2, NEX, NEXUS, LUMINARIS, LUM, LUMINARIS ECO, LUM ECO; may be followed by LD, HD; may be followed by 3 to 42; may be followed by W; may be followed by 8, 9; may be followed by 20 to 50; followed by 84 to 4293; followed by A, B, W; followed by X, CL, DI, OP; followed by BS, FS; followed by T, R; followed by IP; followed by 00 to 40</p> <p>MARS; may be followed by NANO; may be followed by 4262; may be followed by CC or CV; followed by HYD, IQ W ATON, IQW ATON, IQ ATON, ATON IQ white, ECO, IQ W HYD, RGB, RGB 4S, IQ WHITE ATON; IQ WHITE HYDRA, HYDRA, NEX, RGBW, NEXUS, IQ W; may be followed by LD, HD; may be followed by 3 to 40; may be followed by W; followed by 8, 9; followed by 20 to 50; followed by 0139 to 4020; may be followed by BB, SB, WB, BS, SS, WS; may be followed by C or P; followed by 05 to 65 or two letters; followed by E or W; followed by A or C; followed by IP40, IP20 or IP44</p> <p>XOOCOVE HYDRA; followed by LD, HD; followed by 3 to 40; followed by W; followed by 8, 9; followed by 20 to 50; followed by 135 to 4010; followed by 60D or two letters; followed by IP40</p> <p>LYRA 36; may be followed by NANO, NEXUS, LUMINARIS, LUM, LUMINARIS ECO, LUM ECO; followed by LD; followed by 3 to 42; followed by W; followed by 8, 9; followed by 20 to 50; LD followed by 139 to 4010; Followed by S, B; followed by 15, 25, 40, 65, WW, BW, OV; followed by IP20, IP40, IP44</p>
----------------	--