

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	LED Linear GmbH	Manufacturer:	LED Linear GmbH
Address:	Dr.-Alfred-Herrhausen-Allee 20 47228 Duisburg	Address:	Dr. Alfred Herrhausen Allee 22 A-D+20 A-D, 47228 Duisburg
Country:	Germany	Country:	Germany
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Deutschland GmbH, Kaufbeuren		

Control Number: 4004471**Authorized by:** _____


for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Low Voltage Lighting Systems [UL 2108:2015 Ed.2+R:30Dec2021] Luminaires [CSA C22.2#250.0:2021 Ed.5+U1]
Product:	LED lighting-strips
Brand Name:	 A Fagerhult Group Company

VarioLED Flex APOLLO may be followed by 2; may be followed by Blau, Türkis; may be followed by W; may be followed by 8, 9; may be followed by 20 to 50; may be followed by -; may be followed by R, RF

VarioLED Flex ATON may be followed by Air, B, G, IQ, Plus, R, W, Y,A,G; may be followed by W; may be followed by 8, 9; may be followed by 22 to 65; may be followed by R1, R2, R3, R4, R5, R6, R1a, R1b, R1c, R1d, R4a, R4b, R4c, R4d, Ra, Rb, Rc, Rd

VarioLED Flex ATON may be followed by 2,3; may be followed by W; may be followed by 8, 9; may be followed by 22 to 65; may be followed by R1, R2, R3, R4, R5, R6, R1a, R1b, R1c, R1d, R4a, R4b, R4c, R4d, Ra, Rb, Rc, Rd

VarioLED Flex ATON Color may be followed by Y,R; may be followed by 8,9; may be followed by 22,27,30,40,50

VarioLED Flex may be followed by B, G, R, Y; may be followed by XXS

VarioLED Flex W may be followed by 8,9; may be followed by 27,30,35,63

VarioLED Flex RGB may be followed by 2S,4S,5S,HD10,HD20,L,LD15,S,SV; may be followed by Rank; may be followed by PW02,PW03,PW04,PW06,PW07,PW08,PW10,PW11,PW14, PW15

VarioLED Flex IQ may be followed by White, W, Optics; may be followed by SOL, BASIC, ATON, NEXUS, HYDRA; may be followed by HD, LD, HDR; may be followed by 10 to 42; may be followed by 8, 9; may be followed by 18 to 65; may be followed by /; may be followed by 8, 9; may be followed by 18 to 65

VarioLED Flex DONAR may be followed by 2; may be followed by W; may be followed by 8, 9; may be followed by 20 to 50; may be followed by -; may be followed by R, RF

VarioLED Flex SIDEVIEW may be followed by W; may be followed by 8, 9; may be followed by 27 to 35
VarioLED Flex SOL may be followed by LD,HD; may be followed by 5,10,15,20,25,36; may be followed by W; may be followed by 8,9; may be followed by 27,30,35,40,45,50,56,63,65; may be followed by Rank; may be followed by A,B,c1,c2,d1,d2,n1,n2,n3,p1,p2,p3,r1,r2,r3,w1,w2,w3,x1, x2,x3,y1,y2,y3

VarioLED Flex HYDRA LD may be followed by 5,8,10,15,18, 25, 30,40; may be followed by W; may be followed by 8,9; may be followed by 20,22,24,25,27,30,35,40,50,65; may be followed by -; may be followed by F

VarioLED Flex HYDRA HD may be followed by 6,10,15,20,25,36; may be followed by W; may be followed by 8,9; may be followed by 20,22,24,25,27,30,35,40,50,65; may be followed by -; may be followed by R,B

VarioLED Flex HYDRA SLD3 may be followed by W; may be followed by 8,9; may be followed by 20,22,24,25,27,30,35,40,50,65

VarioLED Flex ECO LD may be followed by 4,12; may be followed by W; may be followed by 8,9; may be followed by 22,27,30,35,40,50

VarioLED Flex ECO HD may be followed by 8,24; may be followed by W; may be followed by 8,9; may be followed by 22,27,30,35,40,50

VarioLED Flex HERCULES may be followed by W; may be followed by 8,9; may be followed by 27,30,40,50,57; may be followed by F

Models:

VarioLED Flex ZEUS may be followed by 2; may be followed by W; may be followed by 8,9; may be followed by 27,30,40,50,57; may be followed by F,RF

VarioLED Flex KRONOS may be followed by W; may be followed by 8,9; may be followed by 27,30,40,50,57; may be followed by F,RF

VarioLED Flex ECO LD may be followed by 10; may be followed by W; may be followed by 8,9; may be followed by 22,27,30,35,40,50

VarioLED Flex ECO HD may be followed by 10; may be followed by W; may be followed by 8,9; may be followed by 22,27,30,35,40,50

VarioLED Flex ECO may be followed by LD; may be followed by 4; may be followed by G,B

VarioLED Flex ECO may be followed by HD; may be followed by 8; may be followed by G,B

VarioLED BASIC may be followed by COLOR; may be followed by R,Y

VarioLED XOOMINESCENT T5 may be followed by HE,HO,CC; may be followed by W; may be followed by 8,9; may be followed by 30,40,57

VarioLED LUMINARIS ECO may be followed by P12,P23; may be followed by L; may be followed by 500,1000,1500,2200; may be followed by W; may be followed by 8,9; may be followed by 27,30,35,40,50

VarioLED LUMINARIS XHAGA may be followed by P10,P20; may be followed by L; may be followed by 2200,3200,4400,6400; may be followed by CC; may be followed by W; may be followed by 8,9; may be followed by 27,30,35,40,50

VarioLED LUMINARIS may be followed by LD,HD; may be followed by 05,10,15,22; may be followed by W; may be followed by 8,9; may be followed by 27,30,35,40,50

VarioLED Flex NEXUS LD may be followed by 5,8,10,15,18,25,30,40; may be followed by W,CC; may be followed by 8,9; may be followed by 20,22,24,25,27,30, 35,40,50,65

VarioLED Flex NEXUS HD may be followed by 6,10,15,20,25,36,40,50,55; may be followed by W; may be followed by 8,9; may be followed by 20,22,24,25,27,30,35, 40,50,65

VarioLED Flex NEXUS UHD may be followed by 6,10,15,20,25; may be followed by W; may be followed by 8,9; may be followed by 20,22,24,25,27,30,35,40,50,65

VarioLED Flex RGBW may be followed by HD; may be followed by 20,25,40; may be followed by W; may be followed by 8,9; may be followed by 20,22,24,25,27,30,35,40,50,65VarioLED Flex ECO P12 may be followed by R,G,B

VarioLED Flex LINUS followed by HD4, HD5, HD12, HD17, HD27, HD43; followed by W822, W922, W927, W930, W935, W940, W950

VarioLED Flex LINUS + followed by HD10, HD17, HD27, HD42; followed by W822, W922, W927, W930, W935, W940, W950

HYDRA EXL SW may be followed by 04, 06, 11, 15, 20, 32; may be followed by W; may be followed by 8,9; may be followed by 22, 25, 27, 30, 35, 40, 50

HYDRA PRO SW may be followed by 04, 07, 13, 18, 24, 35 ; may be followed by W; may be followed by 7,8,9; may be followed by 18, 22, 25, 27, 30, 35, 40, 50

HYDRA ECO SW may be followed by 07, 13, 18, 24; may be followed by W; may be followed by 7,8,9; may be followed by 18, 22, 25, 27, 30, 35, 40, 50