MODELS: CONTOUR DO36

LED LINEAR™ lighting solutions

ATTENTION

Please read all safety and assembly instructions prior to installation and keep for future reference.

- 1. Product should be installed by a qualified electrician with regards to all applicable electrical and safety standards.
- 2. Ensure power is shut off at the electrical panel prior to installation in order to prevent electrical shock.
- 3. Use only with SELV (Safety Extra Low Voltage)/Class 2 power supplies.
- 4. Suitable for installation in Dry Locations.
- **5.** Do no operate the product in rolled-up condition.
- 6. Avoid looking directly into the light source during operation glare hazard.
- 7. Do not store packed units over 70° F and over 50% humidity more than 12 months.



NOTE


Prior to installation, always test the LED tape with a suitable power supply in order to confirm operation and that the factory connections are secure. LED Linear only honors warranty for supplied material and is not liable for installation errors.




I. LED INSTALLATION IN ALUMINUM CHANNEL (Contour 0005 is used to illustrate the installation)




Thoroughly clean the area where tape lights will be installed. Using a 50/50 alcohol mix, clean the area where LEDs will be applied and allow time for alcohol to dry for 5 minutes.



Cut extrusion and lens to the desired length in the field. For short runs (<78"), cut all parts to the same length by using the proper blades for aluminum/plastic cut.



Attach the quick connector or solder lead wires to one side of the tape. Shorten the LED tape to desired length by cutting along the marked area in between the solder pads. Remove paper backing from the adhesive tape firmly press down onto the aluminum surface. Uncoil and peel minimal amount as you install to avoid collection of debris. Excessive uncoiling and peeling of tape create ripples and air bubbles on the tape that should be avoided.




MODELS: CONTOUR 0036



ATTENTION


Please read all safety and assembly instructions prior to installation and keep for future reference.








Feed the lead wires through or behind the endcap. Add Super Glue inside and around end cap to secure it in place. For select models, use torque bit to screw the endcap. If applicable, secure the Quick Connector by adding super glue and pressing it onto the extrusion.

II. INSTALLATION ON 1/2" DRYWALL (NOTE: Profile is not suitable for mitering corners. Straight installations only.)










MODELS: CONTOUR 0036





ATTENTION


Please read all safety and assembly instructions prior to installation and keep for future reference.


















MODELS: CONTOUR 0036

LED LINEAR™ lighting solutions


ATTENTION

Please read all safety and assembly instructions prior to installation and keep for future reference.







Cover over the sides of the mounting profile by using drywall tape and plaster. Finish the drywall installation with paint.



Use plenum rated low voltage connectors (by others) to make the electrical connection between the driver and the light profile. Feed the extra wires and connectors through the opening of the mounting profile.



Ensure the correct (wattage & voltage) power supply is used to power the tape. For more information please refer to power supply and LED tape wiring instructions.



Maximum run length of the tape depends on the power supply specifications. For continuous runs, place the power supplies either at both ends of the run or in the middle of the run next to each other.

