


Contour 0002 Aluminum Profile



Profile designed to ensure that the LED source is invisible, offering uniform and soft lighting for the eyes. Compact and versatile design.

Features

- Delivered in standard 6.5 ft (2m) length.
- Designed to give a uniform light without hot spots.
- Extra heatsinking to accommodate medium/high power LED tapes.
- Its use increases the lifetime of your LED strip.
- Compatible with multiple installation accessories.

Project name _____

Fixture type _____ Phase _____


Specifier _____ Date _____




Cable Feed: Side (S), End (E)
Max 7.6 W/ft

Component Order Code


Family	Profile	Optic*	Endcaps	Mounting
Contour	10000300			



Profile, Silver
10000300



High, Opal
12000012



High, Clear Plastic
11000245



Flat Mounting Profile, 6.5ft.
10000039



Round, Opal
12000011



Round, Clear Plastic
11000249




Flat Mounting Clip, 4in.
10000040



Low, Opal
12000013



Low, Clear Plastic
11000247



15° Mounting Clip, 4in.
10000040-15d



30° Mounting Clip, 4in.
10000040-30d



45° Mounting Clip, 4in.
10000040-45d



Plastic Mounting Clip
(for vertical mounting)
13000032



Adjustable Mounting Clip
13000082




Wall Mounting Profile 6.5ft.
13000319-2m

*Clear and Semi-Opal Lenses are available. Consult factory for details.

Technical Details

HIGH OPAL

70% light efficiency




Dot free

5% warmer CCT offset

This lens provides a homogenous line of light.

LOW OPAL

60% light efficiency




Dot free

5% warmer CCT offset

This lens provides a homogenous line of light.

ROUND OPAL

65% light efficiency




Dot free

5% warmer CCT offset

This lens provides a homogenous line of light.

Clear and Semi-Opal are 97% and 90% efficient respectively. They exhibit visible dotting effect.

Mounting Dimensions




Angled Mounting Clips



Flat Mounting Profile/Clip




Plastic Mounting Clip




Wall Mounting Profile


High



Round



Low



LED FLEX TAPE COMPATIBILITY CHART

LED Tape Family	LED Tape Type	Models ¹	LED Tape Step Length	Contour 0002 Compatibility
LUMINARIS	Static White	Luminaris LD05 (1.7w/ft, 152lm/ft)	2.76"/70mm	✓
		Luminaris LD10 (2.6w/ft, 311lm/ft)	2.76"/70mm	✓
		Luminaris LD15 (4.7w/ft, 463lm/ft)	2.76"/70mm	✓
		Luminaris LD22 (6.3w/ft, 659lm/ft)	2.76"/70mm	✓
		Luminaris HD05 (1.6w/ft, 201lm/ft)	2.76"/70mm	✓
		Luminaris HD10 (2.6w/ft, 320lm/ft)	2.76"/70mm	✓
		Luminaris HD15 (4.7w/ft, 552lm/ft)	2.76"/70mm	✓
		Luminaris HD22 (6.3w/ft, 716lm/ft)	2.76"/70mm	✓
HYDRA	Static White	Hydra LD05 (1.5w/ft, 145lm/ft)	4.92"/125mm	✓
		Hydra LD10 (3.1w/ft, 359lm/ft)	4.92"/125mm	✓
		Hydra LD15 (4.6w/ft, 575lm/ft)	4.92"/125mm	✓
		Hydra LD25 (7.6w/ft, 935lm/ft)	4.92"/125mm	✓
		Hydra LD40 (12w/ft, 1212lm/ft)	4.92"/125mm	
		Hydra HD06 (1.8w/ft, 173lm/ft)	2.46"/62.5mm	✓
		Hydra HD10 (3.1w/ft, 289lm/ft)	2.46"/62.5mm	✓
		Hydra HD15 (4.6w/ft, 575lm/ft)	2.46"/62.5mm	✓
		Hydra HD25 (7.6w/ft, 935lm/ft)	2.46"/62.5mm	✓
		Hydra HD36 (11w/ft, 1365lm/ft)	2.46"/62.5mm	
	Tunable White	Hydra Tunable LD25 (7.6w/ft, 503lm/ft)	4.92"/125mm	✓
	RGB	Hydra RGB LD15 (4.6w/ft, 127lm/ft)	4.92"/125mm	✓
		Hydra RGB HD10 (3.4w/ft, 102lm/ft)	2.46"/62.5mm	✓
		Hydra RGB HD20 (6.7w/ft, 191lm/ft)	2.46"/62.5mm	✓
NEXUS	Static White	Nexus HD06 (1.8w/ft, 160lm/ft)	2.46"/62.5mm	✓
		Nexus HD10 (2.9w/ft, 260lm/ft)	2.46"/62.5mm	✓
		Nexus HD15 (4.7w/ft, 420lm/ft)	2.46"/62.5mm	✓
		Nexus HD25 (7.6w/ft, 690lm/ft)	2.46"/62.5mm	✓
		Nexus HD40 (12.2w/ft, 1120lm/ft)	2.46"/62.5mm	
		Nexus UHD15 (4.6w/ft, 410lm/ft)	1.64"/41.7mm	✓
		Nexus UHD25 (7.6w/ft, 680lm/ft)	1.64"/41.7mm	✓
	Tunable White	Nexus Tunable HD12 (3.9w/ft, 190lm/ft)	2.46"/62.5mm	✓
		Nexus Tunable HD24 (7.3w/ft, 410lm/ft)	2.46"/62.5mm	✓
		Nexus Tunable HD42 (12.8w/ft, 770lm/ft)	2.46"/62.5mm	
SOL	Static White	Sol LD15 (4.7w/ft, 480lm/ft)	4.92"/125mm	✓
		Sol LD25 (7.6w/ft, 780lm/ft)	4.92"/125mm	✓
		Sol HD15 (4.7w/ft, 480lm/ft)	2.46"/62.5mm	✓
		Sol HD25 (7.6w/ft, 780lm/ft)	2.46"/62.5mm	✓
		Sol HD36 (11w/ft, 1160lm/ft)	2.46"/62.5mm	
	Tunable White	Sol Tunable LD20 (6w/ft, 410lm/ft)	9.84"/250mm	✓
STATIC COLOR	Static Color	Static Color HD (3.1w/ft, 300lm/ft)	2.76"/70mm	✓

¹) Lumen values reflect measurements of LED tape at 3000K. Tunable White, RGB and Static Color represent the highest possible lumen output.

Click for more information

LED FLEX TAPE

PROFILES & OPTICS

DRIVERS & CONTROLLERS