


Contour 0022 Aluminum Profile

LED LINEAR™



Profile designed to ensure that the LED source is invisible, offering uniform and soft lighting for the eyes. Compact and versatile design. High light extraction efficacy and superior light quality.

Features

- Delivered in standard 6.5 ft (2m) length.
- Designed to give a uniform light without hot spots.
- Extra heatsinking to accommodate medium power LED tapes.
- Its use increases the lifetime of your LED strip.
- Compatible with multiple installation accessories.


Project name	
Fixture type	Phase
Specifier	Date



Cable Feed: End (E), Side (S)
Max 4.7 W/ft

Component Order Code

Family	Profile	Optic*	Endcaps	Mounting
Contour	10000533	12000013	11000224	



Profile, Silver
10000533



Low
Opal 12000013
Semi-Opal 12000016
Clear 12000019



High, with Hole, Plastic
(Set of 2)
11000224



Flat Mounting Profile, 6.5ft.
10000039



Flat Mounting Clip, 4in.
10000040

15° Mounting Clip, 4in.
10000040-15d

30° Mounting Clip, 4in.
10000040-30d

45° Mounting Clip, 4in.
10000040-45d



Plastic Mounting Clip
(for vertical mounting)
13000032




Wall Mounting Profile 6.5ft.
13000319-2m

*Clear and Semi-Opal Lenses are available. Consult factory for details.

Technical Details

LOW OPAL

50% light efficiency




Dot free

5% warmer CCT offset



This lens provides a homogenous line of light.

Clear and Semi-Opal are 95% and 80% efficient respectively. They exhibit visible dotting effect.





Mounting Dimensions




Flat Mounting Profile / Clip





Angled Mounting Clips



Wall Mounting Profile



Endcap



LED FLEX TAPE COMPATIBILITY CHART

✓ Compatible

LED Tape Family	LED Tape Type	Models ¹	LED Tape Step Length	Contour 0022 Compatibility
LUMINARIS	Static White	Luminaris LD05 (1.7W/ft, 152lm/ft)	2.76"/70mm	✓
		Luminaris LD10 (2.6W/ft, 311lm/ft)	2.76"/70mm	✓
		Luminaris LD15 (4.7W/ft, 463lm/ft)	2.76"/70mm	✓
		Luminaris LD22 (6.3W/ft, 659lm/ft)	2.76"/70mm	
		Luminaris HD05 (1.6W/ft, 201lm/ft)	2.76"/70mm	✓
		Luminaris HD10 (2.6W/ft, 320lm/ft)	2.76"/70mm	✓
		Luminaris HD15 (4.7W/ft, 552lm/ft)	2.76"/70mm	✓
		Luminaris HD22 (6.3W/ft, 716lm/ft)	2.76"/70mm	✓
HYDRA	Static White	Hydra PRO 04 (1.2W/ft, 105lm/ft)	2.46"/62.5mm	✓
		Hydra PRO 07 (1.9W/ft, 185lm/ft)	2.46"/62.5mm	✓
		Hydra PRO 13 (3.9W/ft, 430lm/ft)	2.46"/62.5mm	✓
		Hydra PRO 18 (5.6W/ft, 600lm/ft)	2.46"/62.5mm	✓
		Hydra PRO 24 (7.4W/ft, 750lm/ft)	2.46"/62.5mm	
		Hydra PRO 35 (10.7W/ft, 1100lm/ft)	2.46"/62.5mm	
		Hydra EXL 04 (1.2W/ft, 135lm/ft)	2.46"/62.5mm	✓
		Hydra EXL 06 (1.6W/ft, 185lm/ft)	2.46"/62.5mm	✓
		Hydra EXL 11 (3.2W/ft, 420lm/ft)	2.46"/62.5mm	✓
		Hydra EXL 15 (4.6W/ft, 600lm/ft)	2.46"/62.5mm	✓
		Hydra EXL 20 (6.1W/ft, 760lm/ft)	2.46"/62.5mm	✓
		Hydra EXL 32 (9.7W/ft, 1200lm/ft)	2.46"/62.5mm	
		Tunable White	Hydra Tunable LD25 (7.6W/ft, 503lm/ft)	4.92"/125mm
	Hydra Tunable HD12 (3.6W/ft, 213lm/ft)		2.46"/62.5mm	✓
	Hydra Tunable HD24 (7.2W/ft, 472lm/ft)		2.46"/62.5mm	
	RGB	Hydra RGB LD15 (4.6W/ft, 127lm/ft)	4.92"/125mm	✓
		Hydra RGB HD10 (3.4W/ft, 102lm/ft)	2.46"/62.5mm	✓
Hydra RGB HD20 (6.7W/ft, 191lm/ft)		2.46"/62.5mm		
STATIC COLOR	Static Color	Static Color HD (3.1W/ft, 300lm/ft)	2.76"/70mm	✓
RGBW	RGBW	RGBW HD20 (6.1W/ft, 290lm/ft)	3.27"/83.3mm	✓
		RGBW HD40 (12.2W/ft, 490lm/ft)	3.27"/83.3mm	

¹ Lumen values reflect measurements of LED tape at 3000K. Tunable White, RGB and Static Color represent the highest possible lumen output.

Click for more information

LED FLEX TAPE

PROFILES & OPTICS

DRIVERS & CONTROLLERS